

DRAFT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Shikani

*

Serial No. 09/801,486

*

Filed: March 8, 2001

*

Art Unit: 3671

For: TRACHEOSTOMY TUBE WITH
ADJUSTABLE QUICK RELEASE
AND METHOD THEREFOR

*

Examiner: Mr. Mital B. Patel

*

FAX RECEIVED

SEP 3 0 2002

A M E N D M E N T

GROUP 3700

To the Honorable Commissioner
of Patents and Trademarks
P.O. Box 2327
Arlington, VA 22202

Dear Sir:

In response to the Official Action of July 9, 2002, please amend the above-identified application as follows:

C O V E R
S H E E T

FAX

ARMSTRONG, WESTERMAN & HATTORI, LLP

Intellectual Property Law Offices
502 Washington Avenue, Suite 220
Towson, Maryland 21204
Phone: (410) 337-2295
Fax: (410) 337-2296

FAX RECEIVED

SEP 30 2002

GROUP 3700

To: Examiner Mital Patel
Art Unit: 3761
United States Patent and Trademark Office
Fax #: 703-306-4520
From: Robert M. Gamson, Esquire
Subject: U.S.A. patent application Serial No. 09/801,486, filed March 8, 2001, for
“TRACHEOSTOMY TUBE WITH ADJUSTABLE QUICK RELEASE AND
METHOD THEREFOR”; Shikani, Inventor; Our Ref. 20355-PA
Date: September 30, 2002
Pages: 20, including this cover sheet.

COMMENTS:

Per our telephone conversation of September 27, 2002, enclosed is a draft Amendment in response to the Official Action of July 4, 2002 on the above-identified application. Please review the draft for a telephone interview. Tentatively, you plan to call me in the afternoon of October 2, 2002 to conduct the interview.

Respectfully submitted,



Robert M. Gamson

CONFIDENTIALITY NOTE: The information contained in this facsimile is privileged and confidential, included only for the use of the individual or entity named above. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution or copy of this telecopy is strictly prohibited. If you have received this telecopy in error, please immediately notify us by telephone and return the original message to us at the address listed above. We will reimburse for postage on all such returned messages.

**If you have any difficulty receiving this fax, please call us at (410) 337-2295. Thank you.